




Product Information	Data
Category	Replacements & Parts
Name	Battery BPC02
Codex Code	CORP/B2
Legacy Code	N/A
Image	
Features & Benefits	3 cell side-by-side configuration Ni-MH battery for use in most Codex emergency products 3 hour rated C type, 3.6V, 4.0AH
At a glance	N/A
IP Rating	N/A
Colour/ Finish	White (hidden)
Mounting Method	Built-in mounting brackets. Internal luminaire installation only
Warranty (Years)	1
TECHNICAL DATA	
Wattage (W)	N/A
Light Source	N/A
Number of LED's	N/A
Operating Lifespan (Hours)	N/A
Colour Temperature CCT (K)	N/A

Product Information	Data
CRI	N/A
Luminous Flux (Lm)	N/A
Lumens/Watt (Lm/W)	N/A
Input Voltage/ Frequency	TBC
Class Protection	TBC
Operating Temperature Range (degrees C)	minus 20 plus 55
Dimensions	 <p>The technical drawing shows a cylindrical light fixture with a diameter of 54mm and a length of 135mm. It features a lead wire (EL1007 AN1008) and a plug-in light source. The drawing includes a side view, a top view, and a detail view of the plug-in light source. The top view shows a diameter of 135mm and a depth of 29mm. The side view shows a height of 54mm and a length of 135mm. The detail view shows a diameter of 19mm and a length of 29mm. The drawing also includes a label 'HYTRONIC' and 'HYTRONIC' on the side of the fixture.</p>
Detail Dimensions	Width 135mm x Height 54mm x Depth 29mm
Motion Sensor	NO
Motion Sensor Technical Data	N/A
Corridor Function	NO
3 Step Dimming	NO
Lux Sensor	NO
Photocell Advance	NO
Adjustable Controls	NO
Emergency	NO
Replaceable Plug In Light Source	N/A
Replaceable Emergency Pack	N/A
Battery Warranty (years)	1
Other Options	Please contact us for further details regarding compatibility
Related Products	CORF/EM, CORP/B2, COBH/PO1340/EM



[www.codexled.co.uk](http://www.codexled.co.uk)

01223 393754

[info@codexled.co.uk](mailto:info@codexled.co.uk)

