Siena Spotlight



Product Information	Data
Category	Downlights
Name	Siena Spotlight
Codex Code	CODL/SI840
Image	
Features & Benefits	Fits in most existing MR16 / GU10 halogen luminaires Replacement of 50 W MR16 halogen lamps or 20 W HID lamp Emergency and varying dimmable options available Modular unit with integrated heatsink and eye-catching lens optic with mirrors halogen facettes Pre-wired for quick and easy installation Lifespan of 50,000 hours
At a glance	IP20 5 Years 4000K
IP Rating	IP20
Colour/ Finish	N/A Trims available
Mounting Method	Ceiling
Warranty (Years)	5
TECHNICAL DATA	
Wattage (W)	5
Light Source	N/A

8/05/2021	Siena Spouight
Product Information	Data
Number of LED's	N/A
Operating Lifespan (Hours)	50000
Colour Temperature CCT (K)	4000
CRI	>90
Luminous Flux (Lm)	820
Lumens/Watt (Lm/W)	80
Input Voltage/ Frequency	AC100/200~240V 50/60Hz
Class Protection	Class 2
Operating Temperature Range (degrees C)	minus 20~ plus 40
Dimensions	SLA DC G2 50mm 700lm
Detail Dimensions	W/Dia 50mm x Depth 60mm
Motion Sensor	NO
Motion Sensor Technical Data	N/A
Corridor Function	NO
3 Step Dimming	NO
Lux Sensor	NO
Photocell Advance	NO
Adjustable Controls	NO
Emergency	NO

Product Information	Data
Replaceable Plug In Light Source	N/A
Replaceable Emergency Pack	N/A
Battery Warranty (years)	N/A
Other Options	Please contact us for further options available; 1200lm, CCT and ceiling trims
Related Products	



