






Product Information	Data
Category	Retrofit
Name	T8 1500 Tube
Codex Code	CORF/T82350
Legacy Code	LO5C, LO5G-H
Image	
Features & Benefits	<p>Exceptionally efficient LED tube            Best solution for traditional fluorescent T8 retrofit tube            Patented 180 degrees rotating end cap assists with fitting            Emergency and motion sensor options available            Aluminium PCB allows heat dissipation            Safe design single end power            Maximum efficacy and minimum glare            Internal isolating driver            LED lifespan 50,000 hours</p>
At a glance	
IP Rating	IP20
Colour/ Finish	White
Mounting Method	N/A
Warranty (Years)	5
<b>TECHNICAL DATA</b>	
Wattage (W)	23
Light Source	3528

Product Information	Data
Number of LED's	240
Operating Lifespan (Hours)	50,000
Colour Temperature CCT (K)	5000
CRI	>80
Luminous Flux (Lm)	2760
Lumens/Watt (Lm/W)	115
Input Voltage/ Frequency	AC100~277V 50/60Hz
Class Protection	N/A
Operating Temperature Range (degrees C)	minus 20 plus 40
Dimensions	 <p>Technical drawing of a T8 LED tube showing dimensions: L1 (Nom) 588mm, L2 (Nom) 894mm, L3 (Nom) 1198mm, L4 (Nom) 1498mm, D (Nom) 26mm, and Cap-Base G13.</p>
Detail Dimensions	Length 1498 x Depth 26mm
Motion Sensor	NO
Motion Sensor Technical Data	N/A
Corridor Function	NO
3 Step Dimming	NO
Lux Sensor	NO
Photocell Advance	NO
Adjustable Controls	NO
Emergency	NO
Replaceable Plug In Light Source	N/A
Replaceable Emergency Pack	N/A
Battery Warranty (years)	N/A
Other Options	Please contact us for further CCT options
Related Products	N/A



[www.codexled.co.uk](http://www.codexled.co.uk)

01223 393754

[info@codexled.co.uk](mailto:info@codexled.co.uk)

